ANBCA2

ANALYTICAL BIOCHEMISTRY

An International Journal of Analytical and Preparative Methods

EDITORIAL COMMITTEE

N. O. KAPLAN, *Co-Chairman* W. D. McELROY, *Co-Chairman*

EXECUTIVE EDITORS

J. N. ABELSON
S. L. BERGER
L. BRAND
W. DE JONG
M. DeLUCA
T. FRIEDMANN
O. GABRIEL
W. F. HARRINGTON
W. B. JAKOBY
M. D. KAMEN
Y. C. LEE
W. M. LOVENBERG
O. H. LOWRY
K. MOSBACH
W. D. PHILLIPS
J. J. PISANO
N. S. RADIN
J. F. RIORDAN
E. ROZENGURT
J. E. SEEGMILLER
B. L. VALLEE
H. VAN VUNAKIS

W. S. ALLISON, *Assistant to Co-Chairmen*

FOUNDING EDITOR

ALVIN NASON

Volume 137, 1984

ACADEMIC PRESS, INC.

(Harcourt Brace Jovanovich, Publishers)

San Diego Orlando San Francisco New York London
Toronto Montreal Sydney Tokyo São Paulo

Copyright © 1984 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (21 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1984 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0003-2697/84 $3.00

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 137

NUMBER 1, FEBRUARY 15, 1984

Quantitation of Apolipoprotein A-I in Pooled Human Serum by Single Radial Immunodiffusion and Sodium Dodecyl Sulfate–Polyacrylamide Gel Electrophoresis *Yasuo Sakai, Koji Itakura, Taira Kanada, Nobuyoshi Ebata, Kazuo Suga, Hideo Aikawa, Kaname Nakamura, and Teizo Sata* 1

Purification of a Soluble Monoisozyme of Nucleoside Diphosphate Kinase from Chick Brain: Exploitation of Ionic Characteristics *Khalid Islam and Roy G. Burns* 8

A Reproducible Microanalytical Method for the Detection of Specific RNA Sequences by Dot–Blot Hybridization *Steve Cheley and Robert Anderson* 15

Dispersion of Protein Solutions in Short, Open Capillary Tubes as a Method for Rapid Molecular Weight Determination *Frances M. Kelleher and Conrad N. Trumbore* 20

Metachromatic Activity of Heparin and Heparin Fragments *Arthur C. Grant, Robert J. Linhardt, Gerald L. Fitzgerald, Janice J. Park, and Robert Langer* 25

Resolution of Some Glycopeptides of Hen Ovalbumin by Reverse-Phase High-Pressure Liquid Chromatography *Virendra K. Dua and C. Allen Bush* 33

Characteristics of the Isoelectric Focusing Procedure: Importance of Column Size, pH, and Protein–Protein Interactions *James H. Jackson, Jr., and Percy J. Russell, Jr.* 41

The Pyrogallol Assay for Superoxide Dismutase: Absence of a Glutathione Artifact *Eugene F. Roth, Jr., and Harriet S. Gilbert* 50

Separation of Dimethylaminoazobenzenethiohydantoin Amino Acids by High-Performance Liquid Chromatography at Low Picomole Concentrations *Chao-Yuh Yang and Salih J. Wakil* 54

Sarcoplasmic Reticulum from Flounder Muscle Having Improved Lipid Peroxidative Activity *Manouchehr Borhan, Robert L. Shewfelt, and Herbert O. Hultin* 58

An Immunospecific Enzyme Assay for Horseradish Peroxidase *L. Ambler and G. E. Peters* 66

Determination of Catechol-*O*-methyltransferase Activity by High-Performance Liquid Chromatography with Electrochemical Detection *Erkki Nissinen and Pekka Männistö* 69

A New Photometric Assay for Blood Alcohol *J. Kovář, J. Schneider, L. Skurský, and H. Dubský* 74

A Highly Sensitive Photometric Method for Proton Release or Uptake: Difference Protometry *Kazuo Horie, Hiroyuki Hagihara, Akira Wada, and Hideo Fukutome* 80

High-Performance Liquid Chromatographic Analysis of Ammonium in Human Urine *Munehiko Mizobuchi, Kikuo Tamase, Yoshimi Kitada, Michiko Sasaki, and Kaoru Tanigawa* 88

High-Pressure Liquid Chromatographic–Fluorometric Detection of Adenosine and Adenine Nucleotides: Application to Endogenous Content and Electrically Induced Release of Adenyl Purines in Guinea Pig Vas Deferens *Blanche Levitt, Richard J. Head, and David P. Westfall* 93

Fractionation and Isolation of Heparan Sulfates Using Poly-L-lysine–Sepharose *Suguru Suzuki and Atsushi Koide* 101

The Interaction of Proteins and Cells with Affinity Ligands Covalently Coupled to Silicon Surfaces as Monitored by Ellipsometry *Carl Fredrik Mandenius, Stefan Welin, Bengt Danielsson, Ingemar Lundström, and Klaus Mosbach* 106
Isolation of Two Discrete Human Interferon-γ (Immune) Subtypes by High-Performance Liquid Chromatography *Joseph Friedlander, Dina G. Fischer, and Menachem Rubinstein* 115
Quantitative Electrophoretic Transfer of DNA from Polyacrylamide or Agarose Gels to Nitrocellulose *Mitchell R. Smith, Catherine S. Devine, Steven M. Cohn, and Michael W. Lieberman* 120
Streptomyces R61 DD-Carboxypeptidase: Hydrolysis of *X*-D-Alanyl-D-alanine Peptides Measured by a Fluorometric Assay *Nafsika H. Georgopapadakou, Fung Y. Liu, Denis E. Ryono, Richard Neubeck, Eric M. Gordon, and Jelka Pluscec* 125
Detection of Lipopolysaccharides in Polyacrylamide Gels by Transfer to Nitrocellulose Followed by Immunoautoradiography with Antibody and ^{125}I-Protein A: "LPS Blotting" *Wayne C. Bradbury, S. Dawn Mills, Martin A. Preston, Lesley J. Barton, and John L. Penner* 129
Use of *o*-Phthalaldehyde to Reduce Background during Automated Edman Degradation *Andrew W. Brauer, Christine L. Oman, and Michael N. Margolies* 134
Purification of Oligo dG-Tailed Okayama–Berg Linker DNA Fragments by Oligo dC-Cellulose Chromatography *Donald R. Forsdyke* 143
Visualization of Both Peroxidase and Acid Phosphatase Isozymes from Flax (Linum) on the Same Gels *Mary Ann Fieldes, Jean Starobin, and Hugh Tyson* 146
Separation and Evaluation of the *cis* and *trans* Isomers of Hydroxyprolines: Effect of Hydrolysis on the Epimerization *Georges Bellon, Richard Berg, François Chastang, Alain Malgras, and Jacques Paul Borel* 151
An Economic "Power Supply" Using a Diode for Agarose and Polyacrylamide Gel Electrophoresis *Y. Kadokami, K. Takao, and K. Saigo* 156
Visualization and Elution of Unstained Proteins from Polyacrylamide Gels *Michael J. Leibowitz and Regina W. Wang* 161
A Carrier-Free Cell Superfusion System for the Study of Androgen Formation from Precursor Steroids by Isolated Rat Testis Leydig Cells under Steady-State Conditions *Nikolaus Kühn-Velten, Joachim Wolff, Ilse Meyer, and Wolfgang Staib* 164
The Use of Lectins for Determination of Absolute Configurations of Small Amounts of Sugars Eluted from Chromatograms *V. Hořejší, Marie Tichá, and T. Trnka* 170
Rapid Separation of DNAs by Buoyant Density in Three-Layer CsCl Gradients *Michael M. Babykin and Vladislav V. Zinchenko* 175
An Enzyme-Linked Immunosorbent Assay for Zein and Other Proteins Using Unconventional Solvents for Antigen Adsorption *James M. Conroy and Asim Esen* 182
Separation of Peptides by Reverse-Phase High-Performance Liquid Chromatography Using Propyl- and Cyanopropylsilyl Supports *Paul Tempst, Michael W. Hunkapiller, and Leroy E. Hood* 188
Glass-Bead Affinity Chromatography of Cell Attachment and Spreading–Promoting Factors of Human Serum *David W. Barnes, Lori Mousetis, Brad Amos, and Janet Silnutzer* 196
Synthesis of [^{75}Se]Trimethylselenonium Iodide from [^{75}Se]Selenocystine *Stephen J. Foster and Howard E. Ganther* 205
A General Immunochemical Method for Detecting Proteins on Blots *Jason M. Kittler, Natalie T. Meisler, Dace Viceps-Madore, John A. Cidlowski, and John W. Thanassi* 210

A Radioenzymatic Method for *S*-Adenosyl-L-methionine Determination in Biological Fluids *Paolo Giulidori and Giorgio Stramentinoli* 217
Picogram per Cell Determination of DNA by Flow Cytofluorometry *Greta M. Lee, Jerry T. Thornthwaite, and Ellen M. Rasch* 221
The Separation of Bovine Prothrombin and Descarboxyprothrombin by High-Performance Liquid Chromatography *Berry A. M. Soute, Marian A. G. de Boer-v. d. Berg, and Cees Vermeer* 227
Effect of Chelating Agents and Superoxide on Human Neutrophil NAD(P)H Oxidation *Matthew Bidwell Goetz and Richard A. Proctor* 230
The Release and Purification of Sialic Acids from Glycoconjugates: Methods to Minimize the Loss and Migration of *O*-Acetyl Groups *Ajit Varki and Sandra Diaz* 236
Electrophoretic Concentration of Proteins in a Nonlinear pH Gradient *Aurel Popa Wagner, Eugenia Psarrou, and Lieselotte Popa Wagner* 248
Use of Mini-Octadecylsilane Ultrasphere Column in High-Pressure Liquid Chromatography for Protein Structural Studies *Ajit S. Bhown and J. Claude Bennett* 256
Purification and Analysis of Cobamides of *Methanobacterium bryantii* by High-Performance Liquid Chromatography *William B. Whitman and Ralph S. Wolfe* 261

ADDENDUM

Volume 132, Number 1, 1983: Andrew P. Feinberg and Bert Vogelstein, "A Technique for Radiolabeling DNA Restriction Endonuclease Fragments to High Specific Activity," pp. 6–13 266

NUMBER 2, MARCH 1984

A Method to Reduce Interference by Sucrose in the Detection of Thiobarbituric Acid-Reactive Substances *Marshal Shlafer and Beverly M. Shepard* 269
Alterations in Lysophosphatidylcholine Levels of Canine Heart: Modes of Extraction and Storage *Thomas Mock, Marc P. J. Pelletier, Ricky Y. K. Man, and Patrick C. Choy* 277
A Method to Correct for Errors Caused by Generation of Interfering Compounds during Erythrocyte Lipid Peroxidation *Harriet S. Gilbert, Decherd D. Stump, and Eugene F. Roth, Jr.* 282
Mono(adenosine diphosphate ribosyl) Transferase in *Xenopus* Tissues. Direct Demonstration by a Zymographic Localization in Sodium Dodecyl Sulfate–Polyacrylamide Gels *Francois Godeau, Dominique Belin, and Samuel S. Koide* 287
Silhouette Photography of Polyacrylamide Slab Gels *R. R. Bidigare, R. A. Cowling, and Donald W. Pettigrew* 297
Dissociation Constants for Carbonic Anhydrase–Sulfonamide Binding by High-Performance Liquid Chromatography *William R. A. Osborne and Richard E. Tashian* 302
Continuous-Flow Determination of an α-Amylase Inactivator in Fermentation Samples Using a Ferricyanide Reagent *Rudolf Bender and Dieter A. Sukatsch* 307
High-Performance Molecular Sieve Chromatography of Proteins on Agarose Columns: The Relation between Concentration and Porosity of the Gel *Stellan Hjertén and Kjell-Ove Eriksson* 313
Precolumn Concentration of Protein Samples by Displacement Electrophoresis (Isotachophoresis) Followed by High-Performance Molecular Sieve Chromatography on a Packed Agarose Column *Lars-Göran Öfverstedt and Kjell-Ove Eriksson* 318

Determination of Choline in Erythrocytes Using High-Resolution Proton Nuclear Magnetic Resonance Spectroscopy: Comparison with a Choline Oxidase Method
Georg R. Beilharz, Carl R. Middlehurst, Philip W. Kuchel, Glenn E. Hunt, and Gordon F. S. Johnson 324

The Preparation of Cyclic Nucleotide-Depleted Regulatory Subunits from Type II Adenosine 3′:5′-Monophosphate-Dependent Protein Kinase by a Nondenaturing Method
Mark Seville and J. John Holbrook 330

Europium as a Label in Time-Resolved Immunofluorometric Assays
Ilkka Hemmilä, Salifu Dakubu, Veli-Matti Mukkala, Harri Siitari, and Timo Lövgren 335

A Dynamic Dialysis Method for Studying Protein–Ligand Binding Using Chromatographic Theory *Masafumi Hashimoto, Terumasa Higashi, Akio Isomoto, Mitsuro Uozumi, and Akira Okumura* 344

Glycerol, Sucrose, and Other Diol-Containing Reagents Are Not Inert Components in *in Vitro* Incubations Containing Aminoacyl-tRNA
Arthur E. Johnson and Harvey J. Adkins 351

Isolation of Mitochondria from Ascites Tumor Cells Permeabilized with Digitonin
Randall W. Moreadith and Gary Fiskum 360

Visualization of Heparin-Binding Proteins by Ligand Blotting with ^{125}I-Heparin
Alan D. Cardin, Kathleen R. Witt, and Richard L. Jackson 368

Three-Step Preparation and Purification of Phosphorus-33-Labeled Creatine Phosphate of High Specific Activity *F. Savabi, P. J. Geiger, and S. P. Bessman* 374

Quantitation of Hydroxypyridinium Crosslinks in Collagen by High-Performance Liquid Chromatography *David R. Eyre, Thomas J. Koob, and Kirk P. Van Ness* 380

Purification of Monoterpenyl Glycosides by Gel-Permeation and Hydrophobic-Interaction Chromatography on Polyacrylamide (Bio-Gel P-2)
Rodney Croteau, Shawki El-Hindawi, and Hamdy El-Bialy 389

An Abbreviated Synthesis of Tetrahydropteridines
John M. Whiteley and Stephanie Webber 394

A Method for Chromatographic Separation and Fluorometric Quantification of 2′,3′-Cyclic Nucleotide-3′-phosphodiesterase Reaction Products
Asla Pitkänen, Toivo O. Halonen, Hannu O. Kilpeläinen, and Paavo Riekkinen 397

A Fluorescent Spot Test for Coagulation Factor XIII *M. Coggan and P. G. Board* 402

Determination of D- and L-Aspartate in Amino Acid Mixtures by High-Performance Liquid Chromatography after Derivatization with a Chiral Adduct of *o*-Phthaldialdehyde *Dana W. Aswad* 405

Fractionation Techniques in a Hydro-Organic Environment. I. Sulfolane as a Solvent for Hydrophobic Proteins *Giuseppe Vecchio, Pier Giorgio Righetti, Magda Zanoni, Gianfranco Artoni, and Elisabetta Gianazza* 410

Fractionation Techniques in a Hydro-Organic Environment. II. Acryloyl-morpholine Polymers as a Matrix for Electrophoresis in Hydro-Organic Solvents
Gianfranco Artoni, Elisabetta Gianazza, Magda Zanoni, Cecilia Gelfi, Maria Cristina Tanzi, Chiara Barozzi, Paolo Ferruti, and Pier Giorgio Righetti 420

In Vitro Labeling of the Sialic Acid Moiety of Glycoconjugates with Carbon-14
R. Carubelli, G. Wen, and D. R. McCaffree 429

Protein Determination with Trinitrobenzene Sulfonate: A Method Relatively Independent of Amino Acid Composition *A. K. Hazra, S. P. Chock, and R. W. Albers* 437

Purification of *S*-Acyl Fatty Acid Synthase Thioester Hydrolase by Affinity Chromatography with Fatty Acid Synthase Attached to Sepharose
Linda Rogers and P. E. Kolattukudy 444
A Simple Method for Purification of Chymase from Rat Tongue and Rat Peritoneal Cells *Hiroshi Kido, Naomi Fukusen, and Nobuhiko Katunuma* 449
Reverse Fibrin Autography: A Method to Detect and Partially Characterize Protease Inhibitors after Sodium Dodecyl Sulfate–Polyacrylamide Gel Electrophoresis
Larry A. Erickson, Daniel A. Lawrence, and David J. Loskutoff 454
High-Performance Hydrophobic Interaction Chromatography of Proteins
J. L. Fausnaugh, E. Pfannkoch, S. Gupta, and F. E. Regnier 464
Reverse-Phase Purification and Silica Gel Thin-Layer Chromatography of Porphyrin Carboxylic Acids *Herbert C. Friedmann and Eric T. Baldwin* 473
The Preparation of Stroma-Free Hemoglobin by Selective DEAE-Cellulose Absorption
L. C. Cheung, C. B. Storm, B. W. Gabriel, and W. A. Anderson 481
Colorimetric Estimation of Inorganic Phosphate in Colored and/or Turbid Biological Samples: Assay of Phosphohydrolases *Girish C. Upreti* 485
Intermediary Purine-Metabolizing Enzymes from the Cytosol of *Dictyostelium discoideum* Monitored by High-Performance Liquid Chromatography
Edwin G. E. Jahngen and Edward F. Rossomando 493
Silk—A New Substrate for UDP-D-Xylose:Proteoglycan Core Protein β-D-Xylosyltransferase *Patrick Campbell, Ingvar Jacobsson, Laure Benzing-Purdie, Lennart Rodén, and John H. Fessler* 505
Improved Resolution with One-Dimensional Polyacrylamide Gel Electrophoresis: Myofibrillar Proteins from Typed Single Fibers of Human Muscle
Hugo Baumann, Kezhen Cao, and Hans Howald 517
A Recommendation for Visualizing Disulfide Bonding by One-Dimensional Sodium Dodecyl Sulfate–Polyacrylamide Gel Electrophoresis
R. J. Allore and B. H. Barber 523
Colorimetric Method for the Determination of Ketoses Using Phenol–Acetone–Boric Acid Reagent (PABR) *Janusz Boratyński* 528
Purification of Intracellular Phospholipase A_2 from Rat Spleen Supernatant by Reverse-Phase High-Performance Liquid Chromatography
Hiromasa Tojo, Takashi Teramoto, Toshio Yamano, and Mitsuhiro Okamoto 533

BOOK REVIEWS

Methods in Enzymology, Vol. 97, *Biomembranes,* Part K, *Membrane Biogenesis: Assembly and Targeting (Prokaryotes, Mitochondria and Chloroplasts),* Edited by Sidney Fleischer and Becca Fleischer Reviewed by *John Foulds* 538
Principles of Fluorescence Spectroscopy, by Joseph R. Lakowicz
Reviewed by *Robert F. Steiner* 539
Briefly Noted
Methods in Enzymology, Vol. 94, *Polyamines,* Edited by H. Tabor and C. W. Tabor 539
Proteinase Inhibitors: Medical and Biological Aspects, Edited by N. Katunuma, H. Umezawa, and H. Holzer 539

AUTHOR INDEX FOR VOLUME 137 540

The Subject Index for Volume 137 will appear in the December 1984 issue as part of a cumulative index for the year 1984.

INFORMATION FOR AUTHORS[1]

Analytical Biochemistry is an international journal that will publish original articles on methods of interest to the biochemical sciences and all fields that impinge on biochemical investigation. In addition to the expected techniques that apply to biochemical preparations and analysis, the following should be considered as within the scope of the journal:

— Cell and tissue culture techniques that are of general application.

— Sequencing and synthesis of nucleic acids; chemical mutagenesis.

— Purification methods for enzymes and other proteins when a high level of purity has been achieved.

— Immunochemical techniques, both analytical and preparative, if they are of general applicability by biochemists. Included are radioimmunoassays, but only if a unique approach is introduced rather than the determination of a substance not previously assayable.

— Pharmacological and toxicological research techniques that have a biochemical approach.

— Review articles dealing with timely topics. Although these are generally invited, unsolicited manuscripts will be considered.

Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently submitted elsewhere, and that all persons listed as authors have given their approval for the submission of the paper; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in *Analytical Biochemistry* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Address. Manuscripts should be submitted in quadruplicate to ***Analytical Biochemistry*, Editorial Office, Seventh Floor, 1250 Sixth Avenue, San Diego, California 92101.** In the case of rejected manuscripts, only one copy of the manuscript will be returned to the author.

Manuscripts should be concise and consistent in style, spelling, and use of abbreviations. In order to facilitate the processing of manuscripts, the journal now requests that at least four copies be submitted, each copy to include all figures (originals or glossy prints) and tables. The original copy must be typewritten, double-spaced, on one side of white bond paper, about 8½ × 11 inches in size, with one-inch margins on all sides. Each manuscript should have a separate title page noting title of article, authors' names (without degrees), a running title (not exceeding 35 letters and spaces), an abstract (50–150 words), and the address to which proof should be mailed. In creating a title for your paper, please omit words such as *novel, rapid, improved, simple, sensitive, efficient, convenient, new.* Each is felt to be redundant and actually slows down the reader who is scanning the article titles and wants to know more about the method itself. Please substitute informative words that will give readers a more complete idea of the usefulness of your paper with regard to the limitations of their equipment or sample type. For example, what *kind* of method are you describing? **Authors should indicate the following on the title page: (1) the appropriate subject category for listing in the Table of Contents; (2) six descriptive key words for computer-aided selection of reviewers.** (Please see the Appendix at the end of the extended Instructions to Authors published in the July 1, 1983 issue for a list of recommended key words.) These words will also be used in the preparation of the annual cumulative subject index for the journal. Please number all pages of the manuscript.

Text. The suggested organization of an article is: abstract; introductory statement; materials and general methods; results; discussion; acknowledgment; references. Some of these sections may be combined if the presentation is thereby made clearer or more effective. Although this is the general form, the journal will accept short papers of approximately two printed pages that are arranged without specific sections except for a short abstract.

Names of chemical or organic substances should follow the recommendations of the IUPAC–IUB Combined Commission on Biochemical Nomenclature (CBN) as published in the extended Information for Authors, appearing in the July 15, 1981 issue of this journal.

Authors should draw attention to any particular chemical or biological hazards that may be involved in carrying out the experiments described. Any relevant safety precautions should be described; if an accepted code of practice has been followed, a reference to the relevant standards should be given.

---

[1] An extended Information for Authors was published in the July 1, 1983 issue. Reprints are available from the Editorial Office. Authors should consult this Information for details on nomenclature, IUPAC–IUB rules and recommendations, and accepted abbreviations.

Figures should be numbered consecutively with Arabic numerals in order of mention in the text; each figure should have a descriptive legend. Legends should be typed together on a separate sheet, double-spaced. All illustrations should be in finished form ready for the engraver. A convenient size for drawings is 8½ × 11 inches (21 × 27.5 cm). Drawings should be made with India ink on tracing linen, smooth surface white paper, or Bristol board. Graph paper if used should be ruled in blue. Grid lines that are to show in the final engraving should be inked in black. Glossy prints properly prepared are acceptable.

Photographs must be kept to a minimum and should be glossy prints with strong contrasts; the magnification should be indicated by a scale where possible.

Tables should be typed on separate pages, numbered consecutively with Arabic numerals in order of mention in the text. All tables should have descriptive headings, typed (double-spaced) above the table.

Footnotes should be designated in text by superscript numbers and listed on a separate sheet; in tables, by superscript letters and placed at the bottom of the page containing the table.

References to the literature should be cited in the text by Arabic numerals in parentheses and listed at the end of the paper in consecutive order. Abbreviations of journal titles should follow the style used in *Chemical Abstracts Service Source Index*, 1980. Please note style of capitalization and punctuation for journal articles and edited books in the following examples:

1. Jones, J. B., Dilworth, G. L., and Stadtman, T. C. (1979) *Arch. Biochem. Biophys.* **125,** 255–260.
2. Metzler, D. E. (1977) Biochemistry: The Chemical Reaction of Living Cells, p. 298, Academic Press, New York.
3. Harrington, W. F. (1979) *in* The Proteins (Neurath, H., and Hill, R. L., eds), Vol. 4, pp. 246–409, Academic Press, New York.

Proofs. Proofs will be sent to the authors with reprint order forms. Fifty reprints of each article are provided free of charge. Additional reprints may be ordered using the form provided.